




HOOK AND LOOP SANDING PAD (6'')



Polishing: HOOK AND LOOP SANDING PAD (6'')



Pad Size: 150mm(6") Thread Size: 5/16" Dual action orbital sander pads. Tough and durable fiber glass insert and pu foam. Strongest center thread structure. Different foam layer densities allow you to choose precisely. Excellent resistance to tearing and other damage.

Rating: Not Rated Yet

[Ask a question about this product](#)

Description

HOOK AND LOOP SANDING PAD (6'')

Intended use: can be used with a variety of other discs for feathering, scratch removal, paint stripping and paint preparation.

Description:

?HOOK-AND-LOOP?

-The hook and loop face design functions to provide easy closure for removing disc without wearing out overall strength for convenience and easy install/removal.

?RPM?

-Fast and durable oscillating speed operates at 12,000 RPM that stands up to a high frequency achieving a consistent and smooth finish on your home/automotive projects and more.

?QUALITY?

-The high-quality polyurethane material is lightweight and allows a flexible, but firm touch without feeling stiff for maximum control and efficiency in application.

?VERSATILE?

-This sanding disc can be used with a variety of other discs for feathering, scratch removal, paint stripping and paint.

?SPECIFICATIONS?

This universal standard backing disc size is 6" x 5/16" with 24 threads and strong with a rigid body to fit most air sanders for woodworking, automotive work, and industrial settings.

Material: Polyurethane

Size: 5/16" * 24 threads

Color: Yellow

